

C


CUTLASS 30mm Recoilless Disruptor Part No: EOD000814

NIC
INSTRUMENTS
LIMITED
www.nicltd.co.uk

E

The Cutlass 30mm bore recoilless disruptor is capable of rendering safe medium size IEDs found in bags and backpack sized devices.

- The recoilless design ensures minimum collateral damage during firing, as the disruptor does not move.
- Cutlass is the first innovative development in recoilless disruptors for over 20 years, as it does not require 2 separate filling operations for the barrel and compensator. It is simply filled from the front of the barrel, and this automatically fills the compensator. This process is significantly faster and easier than all other currently available recoilless disruptors. Due to its simplicity, it is also significantly less prone to operator error during loading.
- Cutlass is also shorter and lighter than all other currently available recoilless disruptors due to its unique design. Cutlass is the only recoilless disruptor where the compensator sits over the barrel, making the whole unit much shorter.
- Cutlass is also the only recoilless disruptor on the market that has an interchangeable breach, allowing different styles of cartridges to be fitted including aluminium cartridges and 0.50 calibre cartridges (optional).
- Cutlass is designed to be fired many thousands of times and is manufactured entirely from stainless steel ensuring full corrosion resistance.
- Cutlass is supplied with a lightweight manual stand, allowing the disruptor to be placed in a wide range of shot positions.
- The system is supplied in a rigid case with a tool kit.
- Designed and Manufactured in the UK.



O

E

D

D

FOR MORE INFORMATION
Please contact us at:
NIC INSTRUMENTS LTD
Gladstone Road,
Folkestone, Kent,
CT19 5NF
Tel: +44 (0) 1303 851022
Fax: +44 (0) 1303 850155
email: sales@nicltd.co.uk
www.nicltd.co.uk

ISSUE 1

NIC Instruments LTD reserve the right to change equipment and specifications detailed without prior notice


Technical Specification for Cutlass 30mm Recoilless Disruptor

Part No: EOD000814, NSN: TBC

Kit Contents:

Description	Qty	Part Number
30mm Barrel	1	EOD010841
30mm Compensator	1	EOD010842
30mm Capture Gate	1	EOD010848
30mm Extension	1	EOD010859
30mm Cartridge Breech	1	EOD010862
30mm Firing Cap	1	EOD000820
Disruptor Stand	1	EOD000500
Cutlass Adaptor for Manual Stand	1	EOD0003VQT
Tool Kit	1	EOD000817
Rigid Case	1	EOD010899

Weights & Dimensions fitted with standard 26.5mm cartridge breach:




Mass of disruptor, loaded with water and cartridge (does not include manual stand), approx. 4.55kg.

Mass of manual stand approx. 3.2kg.

Transport weight: 17.3kg.

Packed dimensions approx. 56x43x31cm.

Weights & Dimensions fitted with optional 0.5" calibre cartridge breach:



Mass of disruptor, loaded with water and cartridge (does not include manual stand), approx. 4.6kg.

Mass of manual stand approx. 3.2kg.

Transport weight: 17.3kg.

Packed dimensions approx. 56x43x31cm.

Technical Spec issue details

Issue	PCN	Date	Name
0	NA	07/08/2024	JWM
1	15548	23/10/2025	JY
2	15644	01/04/2026	JY
3	15734	14/05/2026	JY

Technical Specification for Cutlass 30mm Recoilless Disruptor
Part No: EOD000814, NSN: TBC



Operational environment

Operational temperature range	–20°C to +54°C
Storage temperature range	–30°C to +54°C

Export Licence

UK Export Licence Rules Apply to this Product, Export Control Rating ML4b2.

Disclaimer

We reserve the right to change the specification, as detailed without notice.

Page 3 of 3
Technical Spec issue details

Issue	PCN	Date	Name
0	NA	07/08/2024	JWM
1	15548	23/10/2025	JY
2	15644	01/04/2026	JY
3	15734	14/05/2026	JY